

Recommended Media List

Xerox® AltaLink® C8070 Color Multifunction Printer

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® AltaLink® C8070 Color Multifunction Printer for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® AltaLink® C8070 Color Multifunction Printer.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer or digital press. This is your assurance that if you are unhappy with the performance of recommended

Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.



Recommended Media List

General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on Altalink. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, please visit www.xeroxpaperusa.com/resources/recommended-media-list.

Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1.800.458.4640, Prompt #1.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

Xerox® AltaLink® C8070 Multifunction Printer Recommended Media List

Item Number	Paper & Specialty Media Description	Size	Paper Type Setting	Weight (gsm)	Trays						Finisher Capabilities						Additional Information				
					A = Auto Duplex M = Manual Duplex		S = Simplex Only N = Not Supported		◆ = Capable of Stacking, Stapling or Folding Paper Type/Size n = not supported		BR Finisher			BR Booklet Maker Finisher				CZ Folder			
					3TM		TTM		SMH (By-pass)		Stack		Staple		Books (SEF)			Letter 'Z'		Letter 'C'	
					1	2	3	4	2	3	4	5	6	Stack	Staple	Stack		Staple	Books (SEF)	Staple	Letter 'Z'
Xerox® Vitality™ Multipurpose Printer Paper																					
3R02047	20 lb.	8.5 x 11	Plain	75	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R02841	20 lb.	8.5 x 11 3HP	Plain	75	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R11415	20 lb., Xpress Pack	8.5 x 11	Plain	75	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R02051	20 lb.	8.5 x 14	Plain	75	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R03761	20 lb.	11 x 17	Plain	75	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
Xerox® Vitality™ Multipurpose Printer Paper, 30% Recycled																					
3R06296	20 lb.	8.5 x 11	Recycled	75	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R06297	20 lb.	8.5 x 11 3HP	Recycled	75	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R06298	20 lb.	8.5 x 14	Recycled	75	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R06299	20 lb.	11 x 17	Recycled	75	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
Xerox® Vitality™ Index Paper																					
3R11747	90 lb. Index	8.5 x 11	Lightweight	163	A	A	A	A	A	A	A	A	A	A	◆	◆	n	n			
3R11748	90 lb. Index	17 x 11	Cardstock	163	A	A	A	A	A	n	A	n	A	n	◆	◆	n	n			
3R11749	100 lb. Index	8.5 x 11	Cardstock	199	A	A	A	A	A	A	M	A	A	A	◆	◆	n	n			
Xerox® Bold™ Digital Printing Paper																					
3R11540	24 lb. / 60 lb. Text	8.5 x 11	Bond	90	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R11541	24 lb. / 60 lb. Text	8.5 x 11 3HP	Bond	90	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R11542	24 lb. / 60 lb. Text	8.5 x 14	Bond	90	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R11543	24 lb. / 60 lb. Text	11 x 17	Bond	90	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R11760	28 lb. / 70 lb. Text	8.5 x 11	Bond	105	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R11761	28 lb. / 70 lb. Text	8.5 x 11 3HP	Bond	105	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R11762	28 lb. / 70 lb. Text	17 x 11	Bond	105	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R11764	32 lb. / 80 lb. Text	8.5 x 11	Lightweight	120	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R11765	32 lb. / 80 lb. Text	17 x 11	Lightweight	120	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R11766	32 lb. / 80 lb. Text	18 x 12	Cardstock	120	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R11767	60 lb. Cover	8.5 x 11	Lightweight	163	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R11768	60 lb. Cover	17 x 11	Cardstock	163	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R11770	80 lb. Cover	8.5 x 11	Cardstock	216	A	A	A	A	A	A	M	A	A	A	◆	◆	n	n			
3R11771	80 lb. Cover	17 x 11	Cardstock	216	A	A	A	A	n	n	M	n	A	n	◆	◆	n	n			
3R11772	80 lb. Cover	18 x 12	Cardstock	216	n	A	A	A	n	n	M	n	A	n	◆	◆	n	n			
3R11774	100 lb. Cover	8.5 x 11	Heavyweight	270	n	n	n	n	n	n	M	n	A	n	◆	◆	n	n			
3R11775	100 lb. Cover	17 x 11	Cardstock	270	n	n	n	n	n	n	M	n	A	n	◆	◆	n	n			
3R11776	100 lb. Cover	18 x 12	Cardstock	270	n	n	n	n	n	n	M	n	A	n	◆	◆	n	n			
Xerox® Bold™ Digital Printing Paper, 30% Recycled																					
3R20160	28 lb. / 70 lb. Text	8.5 x 11	Bond	105	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R20161	28 lb. / 70 lb. Text	17 x 11	Bond	105	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R20162	28 lb. / 70 lb. Text	18 x 12	Bond	105	n	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R20163	60 lb. Cover	8.5 x 11	Lightweight	163	A	A	A	A	A	A	A	A	A	A	◆	◆	◆	◆			
3R20164	60 lb. Cover	17 x 11	Lightweight	163	A	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R20165	60 lb. Cover	18 x 12	Cardstock	163	n	A	A	A	n	n	A	n	A	n	◆	◆	n	n			
3R20166	80 lb. Cover	8.5 x 11	Cardstock	216	A	A	A	A	A	A	M	A	A	A	◆	◆	◆	◆			
3R20167	80 lb. Cover	17 x 11	Cardstock	216	A	A	A	A	n	n	M	n	A	n	◆	◆	n	n			
3R20168	80 lb. Cover	18 x 12	Cardstock	216	n	A	A	A	n	n	M	n	A	n	◆	◆	n	n			
3R20169	100 lb. Cover	8.5 x 11	Heavyweight	270	n	n	n	n	n	n	M	n	A	n	◆	◆	n	n			
3R20170	100 lb. Cover	17 x 11	Cardstock	270	n	n	n	n	n	n	M	n	A	n	◆	◆	n	n			
3R20171	100 lb. Cover	18 x 12	Cardstock	270	n	n	n	n	n	n	M	n	A	n	◆	◆	n	n			

Xerox® AltaLink® C8070 Multifunction Printer Recommended Media List

Xerox® Bold™ Coated Gloss Digital Printing Paper				
Model	Weight	Size	Notes	
3R11450	80 lb. Text	8.5 x 11	If jams occur when feeding from Tray 1 or HCF, switch to Bypass tray (Tray 5) for improved performance for Glossy papers. Environmental conditions (high humidity) may require that this product be fed one sheet at a time.	
3R11451	80 lb. Text	17 x 11		
3R11452	80 lb. Text	18 x 12		
3R11454	100 lb. Text	8.5 x 11		
3R11455	100 lb. Text	17 x 11		
3R11456	100 lb. Text	18 x 12		
3R11458	80 lb. Cover	8.5 x 11		
3R11459	80 lb. Cover	17 x 11		
3R11460	80 lb. Cover	18 x 12		
3R11462	100 lb. Cover	8.5 x 11		
3R11463	100 lb. Cover	17 x 11		
3R11464	100 lb. Cover	18 x 12		
Xerox® Bold™ Coated Satin Digital Printing Paper				
3R11470	80 lb. Text	8.5 x 11		If jams occur when feeding from Tray 1 or HCF, switch to Bypass tray (Tray 5) for improved performance for Glossy papers. Environmental conditions (high humidity) may require that this product be fed one sheet at a time.
3R11471	80 lb. Text	17 x 11		
3R11472	80 lb. Text	18 x 12		
3R11474	100 lb. Text	8.5 x 11		
3R11475	100 lb. Text	17 x 11		
3R11476	100 lb. Text	18 x 12		
3R11478	80 lb. Cover	8.5 x 11		
3R11479	80 lb. Cover	17 x 11		
3R11480	80 lb. Cover	18 x 12		
3R11482	100 lb. Cover	8.5 x 11		
3R11483	100 lb. Cover	17 x 11		
3R11484	100 lb. Cover	18 x 12		
Xerox® Bold™ Super Gloss Cover				
3R11680	8 pt. C1S	8.5 x 11	If jams occur when feeding from Tray 1 or HCF, switch to Bypass tray (Tray 5) for improved performance for Glossy papers. Environmental conditions (high humidity) may require that this product be fed one sheet at a time.	
3R11681	8 pt. C1S	17 x 11		
3R11682	8 pt. C1S	18 x 12		
3R11683	10 pt. C1S	8.5 x 11		
3R11684	10 pt. C1S	17 x 11		
3R11685	10 pt. C1S	18 x 12		
3R11686	12 pt. C1S	8.5 x 11		
3R11687	12 pt. C1S	17 x 11		
3R11688	12 pt. C1S	18 x 12		
Xerox® Revolution™ Label				
3R12735	Gloss Coated, 1-up	8.5 x 11	If jams occur when feeding from Tray 1 or HCF, switch to Bypass tray (Tray 5) for improved performance for Glossy papers. Environmental conditions (high humidity) may require that this product be fed one sheet at a time.	
3R12737	Gloss Coated, 4-up	8.5 x 11		
3R12740	Gloss Coated, 10-up	8.5 x 11		
3R12741	Gloss Coated, 30-up	8.5 x 11		
3R05772	Matte Coated, 1-up	8.5 x 11		
3R05773	Matte Coated, 4-up	8.5 x 11		
3R06332	Matte Coated, 10-up	8.5 x 11		
3R06333	Matte Coated, 30-up	8.5 x 11		
3R06330	Matte Coated, CD/DVD 2-up	8.5 x 11		
Xerox® Revolution™ Marketing Media -- Transparency				
3R12505	Color Printer, Clear	8.5 x 11		Select Paper Type Transparency on user interface for trays/Bypass. It is not recommended to output more than 20 transparencies at a time to avoid blocking. Stack only to Top Finisher Tray.

Notes: Machine reliability specifications may be affected by increased usage of Cardstock, Heavyweight Cardstock and Heavy Glossy Cardstock modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Cardstock, Heavyweight Cardstock, Glossy Cardstock and Heavy Glossy Cardstock modes or special application media types for long duration copy/print runs. Environmental conditions may require that Glossy papers be fed one sheet at a time through Tray 5 (Bypass/SMH). Relative humidity greater than 40% could cause multifeds. Output may require removal at 25 sheets in the tray when not using a finisher.

For the BR Finisher and the BR Booklet Maker Finisher: The Top Tray capacity is 500 sheets of 20lb bond, Letter/A4 paper. All paper sizes supported by the machine are supported. Paper weights from 64 to 280 gsm are supported. The Stacker Tray capacity for 20lb bond 3000 sheets/200 sets of Letter/A4, 1500 sheets/100 sets over Letter/A4 and 300 sheets/70 sets for mixed sizes. Weights from 64 to 280 gsm are supported. The Stacker Tray can stack sizes from B5 LEF to 12x19" and staple sizes from B5 LEF to Tabloid/A3. The Stacker Tray can staple a max of 50 sheets of 24lb Bond and a max of 25 sheets of 32lb Bond. Papers up to 220 gsm can be stapled.

For the Booklet Tray on the BR Booklet Maker Finisher: Up to 24lb Bond is available for Saddle stapled/folded Booklets. Max capacity is 16 sheets of 24lb and 12 sheets of 24lb with 1 cover sheet up to 80lb cover. Booklet Tray capacity is 20 sets of 24lb Bond. All sheets must be fed SEF. For unstapled booklets, max size is 5 sheets of 24lb.



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

www.domtar.com
www.xeroxpaperUSA.com
www.xeroxpaper.ca