

# Recommended Media List

## Xerox® Versant® 2100 Press

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® Versant® 2100 Press for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® Versant® 2100 Press.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer or digital press. This is your assurance that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.

## Recommended Media List

### General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on Versant®. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, [please visit www.xeroxpaperusa.com/resources/recommended-media-list](http://www.xeroxpaperusa.com/resources/recommended-media-list).

### Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1.800.458.4640, Prompt #1.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

# Xerox® Versant® 2100 Press Recommended Media List

| Item Number   | Paper & Specialty Media Description | Size         | gsm | Sides Coated | Coating Type | Type  | Sequence | Color | Thickness (microns) | Cleanup | Finish  | Notes |
|---|-------------------------------------|--------------|-----|--------------|--------------|-------|----------|-------|---------------------|---------|---------|-------|
| <b>Xerox® Vitality™ Index Paper</b>                       |                                     |              |     |              |              |       |          |       |                     |         |         |       |
| 3R11747   | 90 lb. Index                        | 8.5 x 11     | 163 | Uncoated     | N/A          | Plain | 0        | White | 198                 | No      | Regular |       |
| 3R11748   | 90 lb. Index                        | 17 x 11      | 163 | Uncoated     | N/A          | Plain | 0        | White | 198                 | No      | Regular |       |
| 3R11749   | 110 lb. Index                       | 8.5 x 11     | 199 | Uncoated     | N/A          | Plain | 0        | White | 241                 | No      | Regular |       |
| <b>Xerox® Bold™ Professional Quality Paper</b>            |                                     |              |     |              |              |       |          |       |                     |         |         |       |
| 3R13038   | 24 lb. Bond                         | 8.5 x 11     | 90  | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| <b>Xerox® Bold™ Digital Printing Paper</b>                |                                     |              |     |              |              |       |          |       |                     |         |         |       |
| 3R11540   | 24 lb./60 lb. Text                  | 8.5 x 11     | 90  | Uncoated     | N/A          | Plain | 0        | White | 96                  | No      | Regular |       |
| 3R11541   | 24 lb./60 lb. Text                  | 8.5 x 11 3HP | 90  | Uncoated     | N/A          | Plain | 0        | White | 96                  | No      | Regular |       |
| 3R11542   | 24 lb./60 lb. Text                  | 8.5 x 14     | 90  | Uncoated     | N/A          | Plain | 0        | White | 96                  | No      | Regular |       |
| 3R11543   | 24 lb./60 lb. Text                  | 11 x 17      | 90  | Uncoated     | N/A          | Plain | 0        | White | 96                  | No      | Regular |       |
| 3R11760   | 28 lb./70 lb. Text                  | 8.5 x 11     | 105 | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| 3R11761   | 28 lb./70 lb. Text                  | 8.5 x 11 3HP | 105 | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| 3R20150   | 28 lb./70 lb. Text                  | 8.5 x 14     | 105 | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| 3R11762   | 28 lb./70 lb. Text                  | 17 x 11      | 105 | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| 3R11763   | 28 lb./70 lb. Text                  | 18 x 12      | 105 | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| 3R11764   | 32 lb./80 lb. Text                  | 8.5 x 11     | 120 | Uncoated     | N/A          | Plain | 0        | White | 128                 | No      | Regular |       |
| 3R11765   | 32 lb./80 lb. Text                  | 17 x 11      | 120 | Uncoated     | N/A          | Plain | 0        | White | 128                 | No      | Regular |       |
| 3R11766   | 32 lb./80 lb. Text                  | 18 x 12      | 120 | Uncoated     | N/A          | Plain | 0        | White | 128                 | No      | Regular |       |
| 3R11767   | 60 lb. Cover                        | 8.5 x 11     | 163 | Uncoated     | N/A          | Plain | 0        | White | 170                 | No      | Regular |       |
| 3R11768   | 60 lb. Cover                        | 17 x 11      | 163 | Uncoated     | N/A          | Plain | 0        | White | 170                 | No      | Regular |       |
| 3R11770   | 80 lb. Cover                        | 8.5 x 11     | 216 | Uncoated     | N/A          | Plain | 0        | White | 224                 | No      | Regular |       |
| 3R11771   | 80 lb. Cover                        | 17 x 11      | 216 | Uncoated     | N/A          | Plain | 0        | White | 224                 | No      | Regular |       |
| 3R11772   | 80 lb. Cover                        | 18 x 12      | 216 | Uncoated     | N/A          | Plain | 0        | White | 224                 | No      | Regular |       |
| 3R11774   | 100 lb. Cover                       | 8.5 x 11     | 270 | Uncoated     | N/A          | Plain | 0        | White | 273                 | No      | Regular |       |
| 3R11775   | 100 lb. Cover                       | 17 x 11      | 270 | Uncoated     | N/A          | Plain | 0        | White | 273                 | No      | Regular |       |
| 3R11776   | 100 lb. Cover                       | 18 x 12      | 270 | Uncoated     | N/A          | Plain | 0        | White | 273                 | No      | Regular |       |
| <b>Xerox® Bold™ Digital Printing Paper, 30% Recycled</b>  |                                     |              |     |              |              |       |          |       |                     |         |         |       |
| 3R20160   | 28 lb./70 lb. Text                  | 8.5 x 11     | 105 | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| 3R20161   | 28 lb./70 lb. Text                  | 17 x 11      | 105 | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| 3R20162   | 28 lb./70 lb. Text                  | 18 x 12      | 105 | Uncoated     | N/A          | Plain | 0        | White | 109                 | No      | Regular |       |
| 3R20163   | 60 lb. Cover                        | 8.5 x 11     | 163 | Uncoated     | N/A          | Plain | 0        | White | 170                 | No      | Regular |       |
| 3R20164   | 60 lb. Cover                        | 17 x 11      | 163 | Uncoated     | N/A          | Plain | 0        | White | 170                 | No      | Regular |       |
| 3R20165   | 60 lb. Cover                        | 18 x 12      | 163 | Uncoated     | N/A          | Plain | 0        | White | 170                 | No      | Regular |       |
| 3R20166   | 80 lb. Cover                        | 8.5 x 11     | 216 | Uncoated     | N/A          | Plain | 0        | White | 224                 | No      | Regular |       |
| 3R20167   | 80 lb. Cover                        | 17 x 11      | 216 | Uncoated     | N/A          | Plain | 0        | White | 224                 | No      | Regular |       |
| 3R20168   | 80 lb. Cover                        | 18 x 12      | 216 | Uncoated     | N/A          | Plain | 0        | White | 224                 | No      | Regular |       |
| 3R20169   | 100 lb. Cover                       | 8.5 x 11     | 270 | Uncoated     | N/A          | Plain | 0        | White | 273                 | No      | Regular |       |
| 3R20170   | 100 lb. Cover                       | 17 x 11      | 270 | Uncoated     | N/A          | Plain | 0        | White | 273                 | No      | Regular |       |
| 3R20171   | 100 lb. Cover                       | 18 x 12      | 270 | Uncoated     | N/A          | Plain | 0        | White | 273                 | No      | Regular |       |
| <b>Xerox® Bold™ Digital Printing Paper, 100% Recycled</b> |                                     |              |     |              |              |       |          |       |                     |         |         |       |
| 3R11815   | 28 lb./70 lb. Text                  | 8.5 x 11     | 105 | Uncoated     | N/A          | Plain | 0        | White | 112                 | No      | Regular |       |
| <b>Xerox® Bold™ Coated Gloss Digital Printing Paper</b>   |                                     |              |     |              |              |       |          |       |                     |         |         |       |
| 3R11450   | 80 lb. Text                         | 8.5 x 11     | 120 | C2S          | Gloss        | Plain | 0        | White | 102                 | Yes     | Smooth  |       |
| 3R11451   | 80 lb. Text                         | 17 x 11      | 120 | C2S          | Gloss        | Plain | 0        | White | 102                 | Yes     | Smooth  |       |
| 3R11452   | 80 lb. Text                         | 18 x 12      | 120 | C2S          | Gloss        | Plain | 0        | White | 102                 | Yes     | Smooth  |       |
| 3R11443   | 80 lb. Text                         | 19 x 13      | 120 | C2S          | Gloss        | Plain | 0        | White | 102                 | Yes     | Smooth  |       |
| 3R11454   | 100 lb. Text                        | 8.5 x 11     | 144 | C2S          | Gloss        | Plain | 0        | White | 122                 | Yes     | Smooth  |       |
| 3R11455   | 100 lb. Text                        | 17 x 11      | 144 | C2S          | Gloss        | Plain | 0        | White | 122                 | Yes     | Smooth  |       |

# Xerox® Versant® 2100 Press Recommended Media List

|   |               |              |     |     |            |       |   |       |     |     |        |   |
|---|---------------|--------------|-----|-----|------------|-------|---|-------|-----|-----|--------|---|
| 3R114456  | 100 lb. Text  | 18 x 12      | 144 | C2S | Gloss      | Plain | 0 | White | 122 | Yes | Smooth |   |
| 3R114444  | 100 lb. Text  | 19 x 13      | 144 | C2S | Gloss      | Plain | 0 | White | 122 | Yes | Smooth |   |
| 3R114458  | 80 lb. Cover  | 8.5 x 11     | 210 | C2S | Gloss      | Plain | 0 | White | 183 | Yes | Smooth |   |
| 3R114459  | 80 lb. Cover  | 17 x 11      | 210 | C2S | Gloss      | Plain | 0 | White | 183 | Yes | Smooth |   |
| 3R114460  | 80 lb. Cover  | 18 x 12      | 210 | C2S | Gloss      | Plain | 0 | White | 183 | Yes | Smooth |   |
| 3R114445  | 80 lb. Cover  | 19 x 13      | 210 | C2S | Gloss      | Plain | 0 | White | 183 | Yes | Smooth |   |
| 3R114462  | 100 lb. Cover | 8.5 x 11     | 280 | C2S | Gloss      | Plain | 0 | White | 244 | Yes | Smooth |   |
| 3R114463  | 100 lb. Cover | 17 x 11      | 280 | C2S | Gloss      | Plain | 0 | White | 244 | Yes | Smooth |   |
| 3R114464  | 100 lb. Cover | 18 x 12      | 280 | C2S | Gloss      | Plain | 0 | White | 244 | Yes | Smooth |   |
| 3R114465  | 100 lb. Cover | 19 x 13      | 280 | C2S | Gloss      | Plain | 0 | White | 244 | Yes | Smooth |   |
| 3R114466  | 100 lb. Cover | 8.5 x 11     | 300 | C2S | Gloss      | Plain | 0 | White | 264 | Yes | Smooth |   |
| 3R114467  | 110 lb. Cover | 17 x 11      | 300 | C2S | Gloss      | Plain | 0 | White | 264 | Yes | Smooth |   |
| 3R114468  | 110 lb. Cover | 18 x 12      | 300 | C2S | Gloss      | Plain | 0 | White | 264 | Yes | Smooth |   |
| 3R114469  | 130 lb. Cover | 18 x 12      | 360 | C2S | Gloss      | Plain | 0 | White | 315 | Yes | Smooth |   |
| <b>Xerox® Bold™ Coated Saini Digital Printing Paper</b> |               |              |     |     |            |       |   |       |     |     |        |   |
| 3R114470  | 80 lb. Text   | 8.5 x 11     | 120 | C2S | Semi-Gloss | Plain | 0 | White | 102 | Yes | Smooth |   |
| 3R11471   | 80 lb. Text   | 17 x 11      | 120 | C2S | Semi-Gloss | Plain | 0 | White | 102 | Yes | Smooth |   |
| 3R11472   | 80 lb. Text   | 18 x 12      | 120 | C2S | Semi-Gloss | Plain | 0 | White | 102 | Yes | Smooth |   |
| 3R11496   | 80 lb. Text   | 19 x 13      | 120 | C2S | Semi-Gloss | Plain | 0 | White | 102 | Yes | Smooth |   |
| 3R11474   | 100 lb. Text  | 8.5 x 11     | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |   |
| 3R11475   | 100 lb. Text  | 17 x 11      | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |   |
| 3R11476   | 100 lb. Text  | 18 x 12      | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |   |
| 3R11497   | 100 lb. Text  | 19 x 13      | 144 | C2S | Semi-Gloss | Plain | 0 | White | 119 | Yes | Smooth |   |
| 3R11478   | 80 lb. Cover  | 8.5 x 11     | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |   |
| 3R11479   | 80 lb. Cover  | 17 x 11      | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |   |
| 3R11480   | 80 lb. Cover  | 18 x 12      | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |   |
| 3R11518   | 80 lb. Cover  | 19 x 13      | 210 | C2S | Semi-Gloss | Plain | 0 | White | 191 | Yes | Smooth |   |
| 3R11482   | 100 lb. Cover | 8.5 x 11     | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |   |
| 3R11483   | 100 lb. Cover | 17 x 11      | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |   |
| 3R11484   | 100 lb. Cover | 18 x 12      | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |   |
| 3R11519   | 100 lb. Cover | 19 x 13      | 280 | C2S | Semi-Gloss | Plain | 0 | White | 251 | Yes | Smooth |   |
| 3R11486   | 110 lb. Cover | 8.5 x 11     | 300 | C2S | Semi-Gloss | Plain | 0 | White | 277 | Yes | Smooth |   |
| 3R11487   | 110 lb. Cover | 17 x 11      | 300 | C2S | Semi-Gloss | Plain | 0 | White | 277 | Yes | Smooth |   |
| 3R11488   | 110 lb. Cover | 18 x 12      | 300 | C2S | Semi-Gloss | Plain | 0 | White | 277 | Yes | Smooth |   |
| 3R11495   | 130 lb. Cover | 18 x 12      | 360 | C2S | Semi-Gloss | Plain | 0 | White | 353 | Yes | Smooth |   |
| <b>Xerox® Bold™ Super-Gloss Cover</b>                   |               |              |     |     |            |       |   |       |     |     |        |   |
| 3R11680   | 8 Point       | 8.5 x 11     | 170 | C1S | High-Gloss | Plain | 0 | White | 203 | Yes | Smooth |   |
| 3R11681   | 8 Point       | 17 x 11      | 170 | C1S | High-Gloss | Plain | 0 | White | 203 | Yes | Smooth |   |
| 3R11682   | 8 Point       | 18 x 12      | 170 | C1S | High-Gloss | Plain | 0 | White | 203 | Yes | Smooth |   |
| 3R11683   | 10 Point      | 8.5 x 11     | 219 | C1S | High-Gloss | Plain | 0 | White | 254 | Yes | Smooth |   |
| 3R11684   | 10 Point      | 17 x 11      | 219 | C1S | High-Gloss | Plain | 0 | White | 254 | Yes | Smooth |   |
| 3R11685   | 10 Point      | 18 x 12      | 219 | C1S | High-Gloss | Plain | 0 | White | 254 | Yes | Smooth |   |
| 3R11686   | 12 Point      | 8.5 x 11     | 247 | C1S | High-Gloss | Plain | 0 | White | 305 | Yes | Smooth |   |
| 3R11687   | 12 Point      | 17 x 11      | 247 | C1S | High-Gloss | Plain | 0 | White | 305 | Yes | Smooth |   |
| 3R11688   | 12 Point      | 18 x 12      | 247 | C1S | High-Gloss | Plain | 0 | White | 305 | Yes | Smooth |   |
| <b>Xerox® Revolution NeverTear™</b>                     |               |              |     |     |            |       |   |       |     |     |        |   |
| 3R20172   | 5 mil         | 8.5 x 11     | 135 | C2S | Matte      | Plain | 0 | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20173   | 5 mil         | 8.5 x 11 3HP | 135 | C2S | Matte      | Plain | 0 | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20174   | 5 mil         | 11 x 17      | 135 | C2S | Matte      | Plain | 0 | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20175   | 5 mil         | 12 x 18      | 135 | C2S | Matte      | Plain | 0 | White | 127 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20176   | 8 mil         | 8.5 x 11     | 230 | C2S | Matte      | Plain | 0 | White | 203 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20177   | 8 mil         | 12 x 18      | 230 | C2S | Matte      | Plain | 0 | White | 203 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |
| 3R20179   | 10 mil        | 8.5 x 11     | 300 | C2S | Matte      | Plain | 0 | White | 254 | Yes | Smooth | Static build up may affect media runnability and/or stacking. |

# Xerox® Versant® 2100 Press Recommended Media List

| Part Number                                     | Media Description                                  | Quantity | Size     | Coating  | Finish | Weight  | Color | Ordering                    | Notes | Static Build |  |
|---|--|----------|----------|----------|--------|---------|-------|-----------------------------|-------|--------------|--|
| 3R20180   | 10 mil   | 300      | 12 x 18  | C2S      | Matte  | Plain   | 0     | White                       | 254   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20182   | 14 mil   | 450      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 356   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20183   | 14 mil   | 450      | 12 x 18  | C2S      | Matte  | Plain   | 0     | White                       | 256   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20185   | 8 mil Pre-Scored Horizontal                        | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20186   | 8 mil Pre-Scored Vertical                          | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20187   | 8 mil Pre-Perforated Shelf Tags                    | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20188   | 8 mil Pre-Perforated Door Hangers                  | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20189   | 8 mil Pre-Perforated Luggage Tags                  | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20190   | 8 mil Pre-Perforated Badges                        | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20191   | 8 mil Pre-Perforated ID Cards                      | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20192   | 8 mil Pre-Perforated Parking Passes                | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| 3R20193   | 8 mil Pre-Perforated Portrait Badges               | 230      | 8.5 x 11 | C2S      | Matte  | Plain   | 0     | White                       | 127   | Yes          | Static build up may affect media runnability and/or stacking.  |
| Xerox® Revolution™ ID Cards                     |  |          |          |          |        |         |       |                             |       |              |  |
| 3R20077   | 2-Side Laminated with Perf-Out, 1-Up               | 172      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 170   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R20078   | 2-Side Laminated with Perf-Out, 2-Up               | 172      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 170   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14733   | 1-Side Laminated with Peel-Off, 1-Up               | 178      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 170   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14734   | 1-Side Laminated with Peel-Off, 2-Up               | 178      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 170   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14735   | 1-Side Laminated with Microperf-Out, 1-Up          | 174      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 170   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14736   | 1-Side Laminated with Microperf-Out, 2-Up          | 174      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 170   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14700   | 7 mil Synthetic with Microperf-Out, 1-Up           | 123      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 194   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14701   | 7 mil Synthetic with Microperf-Out, 2-Up           | 123      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 194   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R20033   | 7 mil Synthetic with Microperf-Out, 1-Up (2-Wide)  | 123      | 11 x 17  | Uncoated | N/A    | Plain   | 0     | White                       | 194   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14706   | 10 mil Synthetic with Microperf-Out, 1-Up          | 222      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 270   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14707   | 10 mil Synthetic with Microperf-Out, 2-Up          | 222      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 270   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R20034   | 10 mil Synthetic with Microperf-Out, 1-Up (2-Wide) | 222      | 11 x 17  | Uncoated | N/A    | Plain   | 0     | White                       | 270   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14712   | 13 mil Synthetic with Microperf-Out, 1-Up          | 314      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 346   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14713   | 13 mil Synthetic with Microperf-Out, 2-Up          | 314      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 346   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14714   | 7 mil Synthetic with Peel-Off, 1-Up                | 185      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 170   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14716   | 7 mil Synthetic with Peel-Off, 2-Up                | 185      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 170   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.                     |
| 3R14739   | Integrated Repositionable Card                     | 350      | 8.5 x 11 | Uncoated | N/A    | Plain   | 0     | White                       | 128   | No           | Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF. Manual duplex only. |
| Xerox® Revolution™ Carbonless – Premium Digital |  |          |          |          |        |         |       |                             |       |              |  |
| 3R12420   | 2-Part Straight/Reverse                            | 80       | 8.5 x 11 | Uncoated | N/A    | Ordered | 2     | White/Canary                | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |
| 3R12422   | 2-Part Straight/Reverse                            | 80       | 8.5 x 14 | Uncoated | N/A    | Ordered | 2     | White/Canary                | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |
| 3R12423   | 2-Part Straight/Reverse                            | 80       | 11 x 17  | Uncoated | N/A    | Ordered | 2     | White/Canary                | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |
| 3R12421   | 2-Part Straight/Reverse                            | 80       | 8.5 x 11 | Uncoated | N/A    | Ordered | 2     | White/Pink                  | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |
| 3R12424   | 3-Part Reverse                                     | 80       | 8.5 x 11 | Uncoated | N/A    | Ordered | 3     | Pink/Canary/White           | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |
| 3R12425   | 3-Part Straight                                    | 80       | 8.5 x 11 | Uncoated | N/A    | Ordered | 3     | White/Canary/Pink           | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |
| 3R12427   | 3-Part Straight                                    | 80       | 8.5 x 14 | Uncoated | N/A    | Ordered | 3     | White/Canary/Pink           | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |
| 3R12426   | 3-Part Straight (Mint Carton)                      | 80       | 8.5 x 11 | Uncoated | N/A    | Ordered | 3     | White/Canary/Pink           | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |
| 3R12423   | 4-Part Reverse                                     | 80       | 8.5 x 11 | Uncoated | N/A    | Ordered | 4     | Goldenrod/Pink/Canary/White | 110   | Yes          | Run 100 8.5x11 sheets of plain paper every 5k to clean system  |

# Xerox® Versant® 2100 Press Recommended Media List

|   |                                     |            |     |          |       |             |   |                                  |     |     |         |   |
|---|-------------------------------------|------------|-----|----------|-------|-------------|---|----------------------------------|-----|-----|---------|---|
| 3R12430   | 4-Part Straight                     | 8.5 x 11   | 80  | Uncoated | N/A   | Ordered     | 4 | White/Canary/Pink/<br>Goldendrod | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12434   | Singles CB                          | 8.5 x 11   | 80  | Uncoated | N/A   | Plain       | 0 | White                            | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12435   | Singles CFB                         | 8.5 x 11   | 80  | Uncoated | N/A   | Plain       | 0 | White                            | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12437   | Singles CFB                         | 8.5 x 11   | 80  | Uncoated | N/A   | Plain       | 0 | Canary                           | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12439   | Singles CF                          | 8.5 x 11   | 80  | Uncoated | N/A   | Plain       | 0 | Pink                             | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| <b>Xerox® Revolution™ Carbonless – Multipurpose</b> |                                     |            |     |          |       |             |   |                                  |     |     |         |   |
| 3R12850   | 2-Part Straight/Reverse             | 8.5 x 11   | 80  | Uncoated | N/A   | Ordered     | 2 | White/Canary                     | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12851   | 2-Part Straight/Reverse             | 8.5 x 11   | 80  | Uncoated | N/A   | Ordered     | 2 | White/Pink                       | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12852   | 2-Part Straight/Reverse             | 8.5 x 14   | 80  | Uncoated | N/A   | Ordered     | 2 | White/Canary                     | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12853   | 2-Part Straight/Reverse             | 11 x 17    | 80  | Uncoated | N/A   | Ordered     | 2 | White/Canary                     | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12854   | 3-Part Reverse                      | 8.5 x 11   | 80  | Uncoated | N/A   | Ordered     | 3 | Pink/Canary/White                | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12855   | 3-Part Straight                     | 8.5 x 11   | 80  | Uncoated | N/A   | Ordered     | 3 | White/Canary/Pink                | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12856   | 4-Part Reverse                      | 8.5 x 11   | 80  | Uncoated | N/A   | Ordered     | 4 | Goldendrod/Pink/Ca<br>nary/White | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12857   | 4-Part Straight                     | 8.5 x 11   | 80  | Uncoated | N/A   | Ordered     | 4 | White/Canary/Pink/<br>Goldendrod | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12858   | Singles CB                          | 8.5 x 11   | 79  | Uncoated | N/A   | Plain       | 0 | White                            | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12859   | Singles CFB                         | 8.5 x 11   | 79  | Uncoated | N/A   | Plain       | 0 | White                            | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12860   | 3-Part Reverse                      | 11 x 17    | 80  | Uncoated | N/A   | Ordered     | 3 | Pink/Canary/White                | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12861   | 3-Part Straight                     | 8.5 x 14   | 80  | Uncoated | N/A   | Ordered     | 3 | White/Canary/Pink                | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12865   | Singles CF                          | 8.5 x 11   | 79  | Uncoated | N/A   | Plain       | 0 | Pink                             | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| 3R12867   | Singles CFB                         | 8.5 x 11   | 82  | Uncoated | N/A   | Plain       | 0 | Canary                           | 110 | Yes | Regular | Run 100 8.5x11 sheets of plain paper every 5k to clean system   |
| <b>Xerox® Revolution™ Label</b>                     |                                     |            |     |          |       |             |   |                                  |     |     |         |   |
| 3R12735   | 1-Up, Die Cut                       | 8.5 x 11   | 205 | C/S      | Gloss | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R12736   | 1-Up, Full Sheet                    | 8.5 x 11   | 205 | C/S      | Gloss | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R12737   | 4-Up                                | 8.5 x 11   | 205 | C/S      | Gloss | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R12740   | 10-Up                               | 8.5 x 11   | 205 | C/S      | Gloss | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R12741   | 30-Up                               | 8.5 x 11   | 205 | C/S      | Gloss | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R05772   | 1-Up, Die Cut                       | 8.5 x 11   | 205 | C/S      | Matte | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R12371   | 1-Up, Full Sheet                    | 8.5 x 11   | 205 | C/S      | Matte | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R05773   | 4-Up                                | 8.5 x 11   | 205 | C/S      | Matte | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R06332   | 10-Up                               | 8.5 x 11   | 205 | C/S      | Matte | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R06333   | 30-Up                               | 8.5 x 11   | 205 | C/S      | Matte | Plain       | 0 | White                            | 187 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.  |
| 3R14626   | 4 mil Vinyl with Permanent Adhesive | 8.5 x 11   | 350 | C/S      | Gloss | Plain       | 0 | White                            | 254 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts. Printer room RH minimum 40% and transfer adjustments may be required for best image quality. |
| 3R14627   | 4 mil Vinyl with Permanent Adhesive | 12 x 18    | 350 | C/S      | Gloss | Plain       | 0 | White                            | 254 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts. Printer room RH minimum 40% and transfer adjustments may be required for best image quality. |
| 3R14628   | 4 mil Vinyl with Removable Adhesive | 8.5 x 11   | 350 | C/S      | Gloss | Plain       | 0 | White                            | 254 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts. Printer room RH minimum 40% and transfer adjustments may be required for best image quality. |
| 3R14629   | 4 mil Vinyl with Removable Adhesive | 12 x 18    | 350 | C/S      | Gloss | Plain       | 0 | White                            | 254 | No  | Smooth  | Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts. Printer room RH minimum 40% and transfer adjustments may be required for best image quality. |
| <b>Xerox® Revolution™ Mailing Media</b>             |                                     |            |     |          |       |             |   |                                  |     |     |         |   |
| 3R12445   | Business Reply Envelope             | 8.5 x 11   | 170 | Uncoated | N/A   | Plain       | 0 | White                            | 150 | No  | Regular | Envelope leading. Image side up. 750 sheets maximum in feed. Tray A1 and A2.  |
| <b>Xerox® Revolution™ Tabs – Plain Paper</b>        |                                     |            |     |          |       |             |   |                                  |     |     |         |   |
| 3R20113   | 90 lb. Index, Single Straight       | 9 x 11     | 163 | Uncoated | N/A   | Pre-Cut Tab | 4 | White                            | 198 | No  | Regular | Tray 5  |
| 3R04417   | 90 lb. Index, Single Straight       | 9 x 11     | 163 | Uncoated | N/A   | Pre-Cut Tab | 5 | White                            | 198 | No  | Regular | Tray 5  |
| 3R04418   | 90 lb. Index, Single Straight       | 9 x 11 3HP | 163 | Uncoated | N/A   | Pre-Cut Tab | 0 | White                            | 198 | No  | Regular | Tray 5  |
| 3R04407   | 90 lb. Index, Single Position 1 & 5 | 9 x 11     | 163 | Uncoated | N/A   | Pre-Cut Tab | 0 | White                            | 198 | No  | Regular | Tray 5  |
| 3R04409   | 90 lb. Index, Single Position 2 & 4 | 9 x 11     | 163 | Uncoated | N/A   | Pre-Cut Tab | 0 | White                            | 198 | No  | Regular | Tray 5  |
| 3R04411   | 90 lb. Index, Single Position 3     | 9 x 11     | 163 | Uncoated | N/A   | Pre-Cut Tab | 0 | White                            | 198 | No  | Regular | Tray 5  |
| 3R05422   | 90 lb. Index, Single Reverse        | 9 x 11     | 163 | Uncoated | N/A   | Pre-Cut Tab | 3 | White                            | 198 | No  | Regular | Tray 5  |
| 3R05423   | 90 lb. Index, Single Reverse        | 9 x 11 3HP | 163 | Uncoated | N/A   | Pre-Cut Tab | 3 | White                            | 198 | No  | Regular | Tray 5  |
| 3R05426   | 90 lb. Index, Single Reverse        | 9 x 11     | 163 | Uncoated | N/A   | Pre-Cut Tab | 4 | White                            | 198 | No  | Regular | Tray 5  |

Xerox® Versant® 2100 Press Recommended Media List

|  |  |            |     |          |            |              |   |       |     |     |         |   |
|--|--|------------|-----|----------|------------|--------------|---|-------|-----|-----|---------|---|
| 3R05427  | 90 lb. Index, Single Reverse                   | 9 x 11     | 163 | Uncoated | N/A        | Pre-Cut Tab  | 4 | White | 198 | No  | Regular | Tray 5  |
| 3R04415  | 90 lb. Index, Single Reverse                   | 9 x 11     | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 198 | No  | Regular | Tray 5  |
| 3R04416  | 90 lb. Index, Single Reverse                   | 9 x 11 3HP | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 198 | No  | Regular | Tray 5  |
| 3R05717  | 110 lb. Index, Single Reverse                  | 9 x 11 3HP | 199 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 241 | No  | Regular | Tray 5  |
| 3R05718  | 110 lb. Index, Single Reverse                  | 9 x 11     | 199 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 241 | No  | Regular | Tray 5  |
| 3R05713  | 90 lb. Index, Single Reverse                   | 9 x 11     | 163 | Uncoated | N/A        | Pre-Cut Tab  | 8 | White | 198 | No  | Regular | Tray 5  |
| 3R05714  | 90 lb. Index, Single Reverse                   | 9 x 11 3HP | 163 | Uncoated | N/A        | Pre-Cut Tab  | 8 | White | 198 | No  | Regular | Tray 5  |
| Xerox® Revolution™ Tabs -- 30% Recycled (FSC® Certified) |  |            |     |          |            |              |   |       |     |     |         |   |
| 3R12626  | 90 lb. Index, Single Straight                  | 9 x 11     | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 198 | No  | Regular | Tray 5  |
| 3R12463  | 110 lb. Index, Single Straight                 | 9 x 11 3HP | 199 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 241 | No  | Regular | Tray 5  |
| 3R12465  | 110 lb. Index, Single Reverse                  | 9 x 11     | 199 | Uncoated | N/A        | Pre-Cut Tab  | 8 | White | 241 | No  | Regular | Tray 5  |
| 3R12624  | 90 lb. Index, Single Reverse                   | 9 x 11 3HP | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 198 | No  | Regular | Tray 5  |
| 3R12628  | 110 lb. Index, Single Reverse                  | 9 x 11     | 199 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 198 | No  | Regular | Tray 5  |
| Xerox® Revolution™ Tabs -- Printable Plastic             |  |            |     |          |            |              |   |       |     |     |         |   |
| 3R05709  | 90 lb. Index, Single Straight                  | 9 x 11     | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 205 | No  | Regular | Tray 5  |
| 3R05710  | 90 lb. Index, Single Straight                  | 9 x 11 3HP | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 205 | No  | Regular | Tray 5  |
| 3R05520  | 90 lb. Index, Single Reverse                   | 9 x 11     | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 205 | No  | Regular | Tray 5  |
| 3R05521  | 90 lb. Index, Single Reverse                   | 9 x 11 3HP | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 205 | No  | Regular | Tray 5  |
| 3R12477  | 60 lb. Cover, Single Reverse                   | 9 x 11     | 163 | Uncoated | N/A        | Pre-Cut Tab  | 5 | White | 205 | No  | Regular | Tray 5  |
| Xerox® Revolution™ Marketing Media                       |  |            |     |          |            |              |   |       |     |     |         |   |
| 3R12407  | Presentation Folder, 10 Point                  | 12 x 18    | 219 | C1S      | High-Gloss | Plain        | 0 | White | 254 | Yes | Smooth  |   |
| 3R20106  | FunFlip®, 3"x3" Size                           | 8.5 x 11   | 233 | Uncoated | N/A        | Plain        | 0 | White | 234 | Yes | Regular | Due to stack height bias, load maximum of 700 sheets in Tray 6 and/or Tray 7, unload OTC at 270 sheets. |
| 3R14742  | FunFlip®, Greeting Card Size                   | 8.5 x 11   | 233 | Uncoated | N/A        | Plain        | 0 | White | 234 | Yes | Regular | Due to stack height bias, load maximum of 700 sheets in Tray 6 and/or Tray 7, unload OTC at 270 sheets. |
| 3R20016  | Tri-Fold Brochure, 32 lb.                      | 8.5 x 11   | 120 | Uncoated | N/A        | Plain        | 0 | White | 128 | No  | Regular |   |
| 3R12505  | Transparency for Color Printing, Clear         | 8.5 x 11   | 216 | C2S      | Gloss      | Transparency | 0 | Clear | 187 | No  | Smooth  | Tray 6, 7 or Tray 5.  |
| 3R12822  | Transparency for Color Printing with Paperback | 12 x 18    | 216 | C1S      | Gloss      | Transparency | 0 | Clear | 187 | No  | Smooth  | Tray 6, 7 or Tray 5.  |
| Xerox® Revolution™ Magnet Media                          |  |            |     |          |            |              |   |       |     |     |         |   |
| 3R14731  | Integrated Card, 60 lb. Cover                  | 8.5 x 11   | 241 | Uncoated | N/A        | Plain        | 0 | White | 170 | No  | Regular | Due to stack bias, load maximum of 250 sheets in Tray 6 and/or Tray 7 or Tray 5.                        |



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

[www.domtar.com](http://www.domtar.com)  
[www.xeroxpaperUSA.com](http://www.xeroxpaperUSA.com)  
[www.xeroxpaper.ca](http://www.xeroxpaper.ca)