

# Recommended Media List

## Xerox® Versant® 80 Press

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® Versant® 80 Press for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® Versant® 80 Press.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer or digital press. This is your assurance that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.

## Recommended Media List

### General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on Versant®. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, please visit [www.xeroxpaperusa.com/resources/recommended-media-list](http://www.xeroxpaperusa.com/resources/recommended-media-list).

### Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1.800.458.4640, Prompt #1.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

# Xerox® Versant® 80 Press Recommended Media List

## Xerox® Versant® 80 Press Recommended Media List

Item Number	Paper & Specialty Media Description	Size	gsm	Sides Coated	Coating Type	Type	Sequence	Color	Thickness (microns)	Cleanup	Finish	Notes
<b>Xerox® Vitality™ Index Paper</b>												
3R11747	90 lb. Index	8.5 x 11	163	Uncoated	N/A	Plain	0	White	198	No	Regular	
3R11748	90 lb. Index	17 x 11	163	Uncoated	N/A	Plain	0	White	198	No	Regular	
3R11749	110 lb. Index	8.5 x 11	199	Uncoated	N/A	Plain	0	White	241	No	Regular	
<b>Xerox® Bold™ Professional Quality Paper</b>												
3R13038	24 lb. Bond	8.5 x 11	90	Uncoated	N/A	Plain	0	White	109	No	Regular	
<b>Xerox® Bold™ Digital Printing Paper</b>												
3R11540	24 lb./60 lb. Text	8.5 x 11	90	Uncoated	N/A	Plain	0	White	96	No	Regular	
3R11541	24 lb./60 lb. Text	8.5 x 11 3HP	90	Uncoated	N/A	Plain	0	White	96	No	Regular	
3R11542	24 lb./60 lb. Text	8.5 x 14	90	Uncoated	N/A	Plain	0	White	96	No	Regular	
3R11543	24 lb./60 lb. Text	11 x 17	90	Uncoated	N/A	Plain	0	White	96	No	Regular	
3R11760	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R11761	28 lb./70 lb. Text	8.5 x 11 3HP	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R20150	28 lb./70 lb. Text	8.5 x 14	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R11762	28 lb./70 lb. Text	17 x 11	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R11763	28 lb./70 lb. Text	18 x 12	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R11764	32 lb./80 lb. Text	8.5 x 11	120	Uncoated	N/A	Plain	0	White	128	No	Regular	
3R11765	32 lb./80 lb. Text	17 x 11	120	Uncoated	N/A	Plain	0	White	128	No	Regular	
3R11766	32 lb./80 lb. Text	18 x 12	120	Uncoated	N/A	Plain	0	White	128	No	Regular	
3R11767	60 lb. Cover	8.5 x 11	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R11768	60 lb. Cover	17 x 11	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R11770	80 lb. Cover	8.5 x 11	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R11771	80 lb. Cover	17 x 11	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R11772	80 lb. Cover	18 x 12	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R11774	100 lb. Cover	8.5 x 11	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
3R11775	100 lb. Cover	17 x 11	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
3R11776	100 lb. Cover	18 x 12	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
<b>Xerox® Bold™ Digital Printing Paper, 30% Recycled</b>												
3R20160	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R20161	28 lb./70 lb. Text	17 x 11	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R20162	28 lb./70 lb. Text	18 x 12	105	Uncoated	N/A	Plain	0	White	109	No	Regular	
3R20163	60 lb. Cover	8.5 x 11	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R20164	60 lb. Cover	17 x 11	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R20165	60 lb. Cover	18 x 12	163	Uncoated	N/A	Plain	0	White	170	No	Regular	
3R20166	80 lb. Cover	8.5 x 11	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R20167	80 lb. Cover	17 x 11	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R20168	80 lb. Cover	18 x 12	216	Uncoated	N/A	Plain	0	White	224	No	Regular	
3R20169	100 lb. Cover	8.5 x 11	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
3R20170	100 lb. Cover	17 x 11	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
3R20171	100 lb. Cover	18 x 12	270	Uncoated	N/A	Plain	0	White	273	No	Regular	
<b>Xerox® Bold™ Digital Printing Paper, 100% Recycled</b>												
3R11815	28 lb./70 lb. Text	8.5 x 11	105	Uncoated	N/A	Plain	0	White	112	No	Regular	
<b>Xerox® Bold™ Coated Gloss Digital Printing Paper</b>												
3R11450	80 lb. Text	8.5 x 11	120	C2S	Gloss	Plain	0	White	102	Yes	Smooth	
3R11451	80 lb. Text	17 x 11	120	C2S	Gloss	Plain	0	White	102	Yes	Smooth	
3R11452	80 lb. Text	18 x 12	120	C2S	Gloss	Plain	0	White	102	Yes	Smooth	
3R11443	80 lb. Text	19 x 13	120	C2S	Gloss	Plain	0	White	102	Yes	Smooth	
3R11454	100 lb. Text	8.5 x 11	144	C2S	Gloss	Plain	0	White	122	Yes	Smooth	
3R11455	100 lb. Text	17 x 11	144	C2S	Gloss	Plain	0	White	122	Yes	Smooth	

# Xerox® Versant® 80 Press Recommended Media List

3R114456	100 lb. Text	18 x 12	144	C2S	Gloss	Plain	0	White	122	Yes	Smooth	
3R114444	100 lb. Text	19 x 13	144	C2S	Gloss	Plain	0	White	122	Yes	Smooth	
3R114458	80 lb. Cover	8.5 x 11	210	C2S	Gloss	Plain	0	White	183	Yes	Smooth	
3R114459	80 lb. Cover	17 x 11	210	C2S	Gloss	Plain	0	White	183	Yes	Smooth	
3R114460	80 lb. Cover	18 x 12	210	C2S	Gloss	Plain	0	White	183	Yes	Smooth	
3R114445	80 lb. Cover	19 x 13	210	C2S	Gloss	Plain	0	White	183	Yes	Smooth	
3R114462	100 lb. Cover	8.5 x 11	280	C2S	Gloss	Plain	0	White	244	Yes	Smooth	
3R114463	100 lb. Cover	17 x 11	280	C2S	Gloss	Plain	0	White	244	Yes	Smooth	
3R114464	100 lb. Cover	18 x 12	280	C2S	Gloss	Plain	0	White	244	Yes	Smooth	
3R114446	100 lb. Cover	19 x 13	280	C2S	Gloss	Plain	0	White	244	Yes	Smooth	
3R114466	100 lb. Cover	8.5 x 11	300	C2S	Gloss	Plain	0	White	264	Yes	Smooth	
3R114467	110 lb. Cover	17 x 11	300	C2S	Gloss	Plain	0	White	264	Yes	Smooth	
3R114468	110 lb. Cover	18 x 12	300	C2S	Gloss	Plain	0	White	264	Yes	Smooth	
3R114448	130 lb. Cover	18 x 12	360	C2S	Gloss	Plain	0	White	315	Yes	Smooth	
<b>Xerox® Bold™ Coated Sain Digital Printing Paper</b>												
3R114770	80 lb. Text	8.5 x 11	120	C2S	Semi-Gloss	Plain	0	White	102	Yes	Smooth	
3R114701	80 lb. Text	17 x 11	120	C2S	Semi-Gloss	Plain	0	White	102	Yes	Smooth	
3R11472	80 lb. Text	18 x 12	120	C2S	Semi-Gloss	Plain	0	White	102	Yes	Smooth	
3R11496	80 lb. Text	19 x 13	120	C2S	Semi-Gloss	Plain	0	White	102	Yes	Smooth	
3R11474	100 lb. Text	8.5 x 11	144	C2S	Semi-Gloss	Plain	0	White	119	Yes	Smooth	
3R11475	100 lb. Text	17 x 11	144	C2S	Semi-Gloss	Plain	0	White	119	Yes	Smooth	
3R11476	100 lb. Text	18 x 12	144	C2S	Semi-Gloss	Plain	0	White	119	Yes	Smooth	
3R11497	100 lb. Text	19 x 13	144	C2S	Semi-Gloss	Plain	0	White	119	Yes	Smooth	
3R11478	80 lb. Cover	8.5 x 11	210	C2S	Semi-Gloss	Plain	0	White	191	Yes	Smooth	
3R11479	80 lb. Cover	17 x 11	210	C2S	Semi-Gloss	Plain	0	White	191	Yes	Smooth	
3R11480	80 lb. Cover	18 x 12	210	C2S	Semi-Gloss	Plain	0	White	191	Yes	Smooth	
3R11518	80 lb. Cover	19 x 13	210	C2S	Semi-Gloss	Plain	0	White	191	Yes	Smooth	
3R11482	100 lb. Cover	8.5 x 11	280	C2S	Semi-Gloss	Plain	0	White	251	Yes	Smooth	
3R11483	100 lb. Cover	17 x 11	280	C2S	Semi-Gloss	Plain	0	White	251	Yes	Smooth	
3R11484	100 lb. Cover	18 x 12	280	C2S	Semi-Gloss	Plain	0	White	251	Yes	Smooth	
3R11519	100 lb. Cover	19 x 13	280	C2S	Semi-Gloss	Plain	0	White	251	Yes	Smooth	
3R11486	110 lb. Cover	8.5 x 11	300	C2S	Semi-Gloss	Plain	0	White	277	Yes	Smooth	
3R11487	110 lb. Cover	17 x 11	300	C2S	Semi-Gloss	Plain	0	White	277	Yes	Smooth	
3R11488	110 lb. Cover	18 x 12	300	C2S	Semi-Gloss	Plain	0	White	277	Yes	Smooth	
3R11495	130 lb. Cover	18 x 12	360	C2S	Semi-Gloss	Plain	0	White	353	Yes	Smooth	
<b>Xerox® Bold™ Super-Gloss Cover</b>												
3R11680	8 Point	8.5 x 11	170	C1S	High-Gloss	Plain	0	White	203	Yes	Smooth	
3R11681	8 Point	17 x 11	170	C1S	High-Gloss	Plain	0	White	203	Yes	Smooth	
3R11682	8 Point	18 x 12	170	C1S	High-Gloss	Plain	0	White	203	Yes	Smooth	
3R11683	10 Point	8.5 x 11	219	C1S	High-Gloss	Plain	0	White	254	Yes	Smooth	
3R11684	10 Point	17 x 11	219	C1S	High-Gloss	Plain	0	White	254	Yes	Smooth	
3R11685	10 Point	18 x 12	219	C1S	High-Gloss	Plain	0	White	254	Yes	Smooth	
3R11686	12 Point	8.5 x 11	247	C1S	High-Gloss	Plain	0	White	305	Yes	Smooth	
3R11687	12 Point	17 x 11	247	C1S	High-Gloss	Plain	0	White	305	Yes	Smooth	
3R11688	12 Point	18 x 12	247	C1S	High-Gloss	Plain	0	White	305	Yes	Smooth	
<b>Xerox® Revolution NeverTear™</b>												
3R20172	5 mil	8.5 x 11	135	C2S	Matte	Plain	0	White	127	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20173	5 mil	8.5 x 11 3HP	135	C2S	Matte	Plain	0	White	127	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20174	5 mil	11 x 17	135	C2S	Matte	Plain	0	White	127	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20175	5 mil	12 x 18	135	C2S	Matte	Plain	0	White	127	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20176	8 mil	8.5 x 11	230	C2S	Matte	Plain	0	White	203	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20177	8 mil	12 x 18	230	C2S	Matte	Plain	0	White	203	Yes	Smooth	Static build up may affect media runnability and/or stacking.
3R20179	10 mil	8.5 x 11	300	C2S	Matte	Plain	0	White	254	Yes	Smooth	Static build up may affect media runnability and/or stacking.

# Xerox® Versant® 80 Press Recommended Media List

Part Number	Media Description	Quantity	Dimensions	Weight	Coating	Color	Ordering	Material	Finish	Notes	Static Build	
3R20180	10 mil	300	12 x 18	450	C2S	White	Plain	0	White	254	Yes	Static build up may affect media runnability and/or stacking.
3R20182	14 mil	460	8.5 x 11	460	C2S	White	Plain	0	White	356	Yes	Static build up may affect media runnability and/or stacking.
3R20183	14 mil	460	12 x 18	460	C2S	White	Plain	0	White	256	Yes	Static build up may affect media runnability and/or stacking.
3R20185	8 mil Pre-Scored Horizontal	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
3R20186	8 mil Pre-Scored Vertical	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
3R20187	8 mil Pre-Perforated Shelf Tags	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
3R20188	8 mil Pre-Perforated Door Hangers	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
3R20189	8 mil Pre-Perforated Luggage Tags	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
3R20190	8 mil Pre-Perforated ID Cards	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
3R20191	8 mil Pre-Perforated ID Cards	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
3R20192	8 mil Pre-Perforated Parking Passes	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
3R20193	8 mil Pre-Perforated Portrait Badges	230	8.5 x 11	230	C2S	White	Plain	0	White	127	Yes	Static build up may affect media runnability and/or stacking.
Xerox® Revolution™ ID Cards												
3R20077	2-Side Laminated with Perf-Out, 1-Up	172	8.5 x 11	172	Uncoated	N/A	Plain	0	White	170	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R20078	2-Side Laminated with Perf-Out, 2-Up	172	8.5 x 11	172	Uncoated	N/A	Plain	0	White	170	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14733	1-Side Laminated with Peel-Off, 1-Up	178	8.5 x 11	178	Uncoated	N/A	Plain	0	White	170	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14734	1-Side Laminated with Peel-Off, 2-Up	178	8.5 x 11	178	Uncoated	N/A	Plain	0	White	170	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14735	1-Side Laminated with Microperf-Out, 1-Up	174	8.5 x 11	174	Uncoated	N/A	Plain	0	White	170	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14736	1-Side Laminated with Microperf-Out, 2-Up	174	8.5 x 11	174	Uncoated	N/A	Plain	0	White	170	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14700	7 mil Synthetic with Microperf-Out, 1-Up	123	8.5 x 11	123	Uncoated	N/A	Plain	0	White	194	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14701	7 mil Synthetic with Microperf-Out, 2-Up	123	8.5 x 11	123	Uncoated	N/A	Plain	0	White	194	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R20033	7 mil Synthetic with Microperf-Out, 1-Up ( 2-Wide)	123	11 x 17	123	Uncoated	N/A	Plain	0	White	194	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14706	10 mil Synthetic with Microperf-Out, 1-Up	222	8.5 x 11	222	Uncoated	N/A	Plain	0	White	270	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14707	10 mil Synthetic with Microperf-Out, 2-Up	222	8.5 x 11	222	Uncoated	N/A	Plain	0	White	270	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R20034	10 mil Synthetic with Microperf-Out, 1-Up ( 2-Wide)	222	11 x 17	222	Uncoated	N/A	Plain	0	White	270	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14712	13 mil Synthetic with Microperf-Out, 1-Up	314	8.5 x 11	314	Uncoated	N/A	Plain	0	White	346	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14713	13 mil Synthetic with Microperf-Out, 2-Up	314	8.5 x 11	314	Uncoated	N/A	Plain	0	White	346	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14714	7 mil Synthetic with Peel-Off, 1-Up	185	8.5 x 11	185	Uncoated	N/A	Plain	0	White	170	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14716	7 mil Synthetic with Peel-Off, 2-Up	185	8.5 x 11	185	Uncoated	N/A	Plain	0	White	170	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF.
3R14739	Integrated Repositionable Card	350	8.5 x 11	350	Uncoated	N/A	Plain	0	White	128	No	Due to stack height bias, load maximum of 250 sheets in Tray 6 and/or Tray 7. Tray 5, 50 sheets SEF. Manual duplex only.
Xerox® Revolution™ Carbonless – Premium Digital												
3R12420	2-Part Straight/Reverse	80	8.5 x 11	80	Uncoated	N/A	Ordered	2	White/Canary	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12422	2-Part Straight/Reverse	80	8.5 x 14	80	Uncoated	N/A	Ordered	2	White/Canary	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12423	2-Part Straight/Reverse	80	11 x 17	80	Uncoated	N/A	Ordered	2	White/Canary	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12421	2-Part Straight/Reverse	80	8.5 x 11	80	Uncoated	N/A	Ordered	2	White/Pink	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12424	3-Part Reverse	80	8.5 x 11	80	Uncoated	N/A	Ordered	3	Pink/Canary/White	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12425	3-Part Straight	80	8.5 x 11	80	Uncoated	N/A	Ordered	3	White/Canary/Pink	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12427	3-Part Straight	80	8.5 x 14	80	Uncoated	N/A	Ordered	3	White/Canary/Pink	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12426	3-Part Straight (Mint Carton)	80	8.5 x 11	80	Uncoated	N/A	Ordered	3	White/Canary/Pink	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12423	4-Part Reverse	80	8.5 x 11	80	Uncoated	N/A	Ordered	4	Goldenrod/Pink/Ca nary/White	110	Yes	Run 100 8.5x11 sheets of plain paper every 5k to clean system

# Xerox® Versant® 80 Press Recommended Media List

3R12430	4-Part Straight	8.5 x 11	80	Uncoated	N/A	Ordered	4	White/Canary/Pink/ Goldendrod	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12434	Singles CB	8.5 x 11	80	Uncoated	N/A	Plain	0	White	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12435	Singles CFB	8.5 x 11	80	Uncoated	N/A	Plain	0	White	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12437	Singles CFB	8.5 x 11	80	Uncoated	N/A	Plain	0	Canary	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12439	Singles CF	8.5 x 11	80	Uncoated	N/A	Plain	0	Pink	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
<b>Xerox® Revolution™ Carbonless – Multipurpose</b>												
3R12850	2-Part Straight/Reverse	8.5 x 11	80	Uncoated	N/A	Ordered	2	White/Canary	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12851	2-Part Straight/Reverse	8.5 x 11	80	Uncoated	N/A	Ordered	2	White/Pink	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12852	2-Part Straight/Reverse	8.5 x 14	80	Uncoated	N/A	Ordered	2	White/Canary	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12853	2-Part Straight/Reverse	11 x 17	80	Uncoated	N/A	Ordered	2	White/Canary	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12854	3-Part Reverse	8.5 x 11	80	Uncoated	N/A	Ordered	3	Pink/Canary/White	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12855	3-Part Straight	8.5 x 11	80	Uncoated	N/A	Ordered	3	White/Canary/White	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12856	4-Part Reverse	8.5 x 11	80	Uncoated	N/A	Ordered	4	Goldendrod/Pink/Ca nary/White	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12857	4-Part Straight	8.5 x 11	80	Uncoated	N/A	Ordered	4	White/Canary/Pink/ Goldendrod	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12858	Singles CB	8.5 x 11	79	Uncoated	N/A	Plain	0	White	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12859	Singles CFB	8.5 x 11	79	Uncoated	N/A	Plain	0	White	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12860	3-Part Reverse	11 x 17	80	Uncoated	N/A	Ordered	3	Pink/Canary/White	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12861	3-Part Straight	8.5 x 14	80	Uncoated	N/A	Ordered	3	White/Canary/Pink	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12865	Singles CF	8.5 x 11	79	Uncoated	N/A	Plain	0	Pink	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
3R12867	Singles CFB	8.5 x 11	82	Uncoated	N/A	Plain	0	Canary	110	Yes	Regular	Run 100 8.5x11 sheets of plain paper every 5k to clean system
<b>Xerox® Revolution™ Label</b>												
3R12735	1-Up, Die Cut	8.5 x 11	205	C/S	Gloss	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R12736	1-Up, Full Sheet	8.5 x 11	205	C/S	Gloss	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R12737	4-Up	8.5 x 11	205	C/S	Gloss	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R12740	10-Up	8.5 x 11	205	C/S	Gloss	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R12741	30-Up	8.5 x 11	205	C/S	Gloss	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R05772	1-Up, Die Cut	8.5 x 11	205	C/S	Matte	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R12371	1-Up, Full Sheet	8.5 x 11	205	C/S	Matte	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R05773	4-Up	8.5 x 11	205	C/S	Matte	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R06332	10-Up	8.5 x 11	205	C/S	Matte	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R06333	30-Up	8.5 x 11	205	C/S	Matte	Plain	0	White	187	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts.
3R14626	4 mil Vinyl with Permanent Adhesive	8.5 x 11	350	C/S	Gloss	Plain	0	White	254	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts. Printer room RH minimum 40% and transfer adjustments may be required for best image quality.
3R14627	4 mil Vinyl with Permanent Adhesive	12 x 18	350	C/S	Gloss	Plain	0	White	254	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts. Printer room RH minimum 40% and transfer adjustments may be required for best image quality.
3R14628	4 mil Vinyl with Removable Adhesive	8.5 x 11	350	C/S	Gloss	Plain	0	White	254	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts. Printer room RH minimum 40% and transfer adjustments may be required for best image quality.
3R14629	4 mil Vinyl with Removable Adhesive	12 x 18	350	C/S	Gloss	Plain	0	White	254	No	Smooth	Best results using Tray 7, Tray 6 or Tray 5. Do not print over die cuts. Printer room RH minimum 40% and transfer adjustments may be required for best image quality.
<b>Xerox® Revolution™ Mailing Media</b>												
3R12445	Business Reply Envelope	8.5 x 11	170	Uncoated	N/A	Plain	0	White	150	No	Regular	Envelope leading. Image side up. 750 sheets maximum in feed. Tray A1 and A2.
<b>Xerox® Revolution™ Tabs – Plain Paper</b>												
3R20113	90 lb. Index, Single Straight	9 x 11	163	Uncoated	N/A	Pre-Cut Tab	4	White	198	No	Regular	Tray 5
3R04417	90 lb. Index, Single Straight	9 x 11	163	Uncoated	N/A	Pre-Cut Tab	5	White	198	No	Regular	Tray 5
3R04418	90 lb. Index, Single Straight	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab	0	White	198	No	Regular	Tray 5
3R04407	90 lb. Index, Single Position 1 & 5	9 x 11	163	Uncoated	N/A	Pre-Cut Tab	0	White	198	No	Regular	Tray 5
3R04409	90 lb. Index, Single Position 2 & 4	9 x 11	163	Uncoated	N/A	Pre-Cut Tab	0	White	198	No	Regular	Tray 5
3R04411	90 lb. Index, Single Position 3	9 x 11	163	Uncoated	N/A	Pre-Cut Tab	0	White	198	No	Regular	Tray 5
3R05422	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab	3	White	198	No	Regular	Tray 5
3R05423	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab	3	White	198	No	Regular	Tray 5
3R05426	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab	4	White	198	No	Regular	Tray 5

# Xerox® Versant® 80 Press Recommended Media List

3R05427	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab 4	White	198	No	Regular	Tray 5
3R04415	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab 5	White	198	No	Regular	Tray 5
3R04416	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab 5	White	198	No	Regular	Tray 5
3R05717	110 lb. Index, Single Reverse	9 x 11 3HP	199	Uncoated	N/A	Pre-Cut Tab 5	White	241	No	Regular	Tray 5
3R05718	110 lb. Index, Single Reverse	9 x 11	199	Uncoated	N/A	Pre-Cut Tab 5	White	241	No	Regular	Tray 5
3R05713	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab 8	White	198	No	Regular	Tray 5
3R05714	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab 8	White	198	No	Regular	Tray 5
Xerox® Revolution™ Tabs -- 30% Recycled (FSC® Certified)											
3R12626	90 lb. Index, Single Straight	9 x 11	163	Uncoated	N/A	Pre-Cut Tab 5	White	198	No	Regular	Tray 5
3R12463	110 lb. Index, Single Straight	9 x 11 3HP	199	Uncoated	N/A	Pre-Cut Tab 5	White	241	No	Regular	Tray 5
3R12465	110 lb. Index, Single Reverse	9 x 11	199	Uncoated	N/A	Pre-Cut Tab 8	White	241	No	Regular	Tray 5
3R12624	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab 5	White	198	No	Regular	Tray 5
3R12628	110 lb. Index, Single Reverse	9 x 11	199	Uncoated	N/A	Pre-Cut Tab 5	White	198	No	Regular	Tray 5
Xerox® Revolution™ Tabs -- Printable Plastic											
3R05709	90 lb. Index, Single Straight	9 x 11	163	Uncoated	N/A	Pre-Cut Tab 5	White	205	No	Regular	Tray 5
3R05710	90 lb. Index, Single Straight	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab 5	White	205	No	Regular	Tray 5
3R05520	90 lb. Index, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab 5	White	205	No	Regular	Tray 5
3R05521	90 lb. Index, Single Reverse	9 x 11 3HP	163	Uncoated	N/A	Pre-Cut Tab 5	White	205	No	Regular	Tray 5
3R12477	60 lb. Cover, Single Reverse	9 x 11	163	Uncoated	N/A	Pre-Cut Tab 5	White	205	No	Regular	Tray 5
Xerox® Revolution™ Marketing Media											
3R12407	Presentation Folder, 10 Point	12 x 18	219	C1S	High-Gloss	Plain	White	254	Yes	Smooth	Due to stack height bias, load maximum of 700 sheets in Tray 6 and/or Tray 7, unload OTC at 270 sheets.
3R20106	FunFlip®, 3"x3" Size	8.5 x 11	233	Uncoated	N/A	Plain	White	234	Yes	Regular	Due to stack height bias, load maximum of 700 sheets in Tray 6 and/or Tray 7, unload OTC at 270 sheets.
3R14742	FunFlip®, Greeting Card Size	8.5 x 11	233	Uncoated	N/A	Plain	White	234	Yes	Regular	Due to stack height bias, load maximum of 700 sheets in Tray 6 and/or Tray 7, unload OTC at 270 sheets.
3R20016	Tri-Fold Brochure, 32 lb.	8.5 x 11	120	Uncoated	N/A	Plain	White	128	No	Regular	Tray 6, 7 or Tray 5.
3R12505	Transparency for Color Printing, Clear	8.5 x 11	216	C2S	Gloss	Transparency 0	Clear	187	No	Smooth	Tray 6, 7 or Tray 5.
3R12822	Transparency for Color Printing with Paperback	12 x 18	216	C1S	Gloss	Transparency 0	Clear	187	No	Smooth	Tray 6, 7 or Tray 5.
Xerox® Revolution™ Magnet Media											
3R14731	Integrated Card, 60 lb. Cover	8.5 x 11	241	Uncoated	N/A	Plain	White	170	No	Regular	Due to stack bias, load maximum of 250 sheets in Tray 6 and/or Tray 7 or Tray 5.



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

[www.domtar.com](http://www.domtar.com)  
[www.xeroxpaperUSA.com](http://www.xeroxpaperUSA.com)  
[www.xeroxpaper.ca](http://www.xeroxpaper.ca)